



# WOOD FINISHES DIRECT

The following Technical Datasheet is provided by **Blanchon**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Blanchon Powerful Cleaner](#)

Intensive degreasing  
and cleaning preparation

For all oiled floors



Thoroughly cleans  
stubborn stains



Removes old and heavily  
stacked coats



Weak odour



# Powerful Cleaner



## INTENDED USE AND PRODUCT RANGE

- **Powerful Cleaner** thoroughly removes the most stubborn stains and dirt from all parquets coated with oil\* (either by the producer or end-user).
- **Powerful Cleaner** is also a strong degreaser which allows for removing a number of greasy smudges. The product also removes black marks left by footwear.
- It ideally prepares surfaces before applying a new layer of oil: renovation or original oil.
- The preparation is applied as strongly diluted, and its fragrance is almost undetectable.

## SURFACE PREPARATION

- The product is meant for oiled parquets and wood floors as well as those oiled by the producer, which are clean, dry and free of dust.

## INSTRUCTIONS FOR USE

- Surfaces covered with Blanchon Original Wood™ Environment or any other water-based oil: dilute 100 ml of the preparation (2 cups) in 5 litres of clean, warm water.
- Surfaces covered with Hard Waxoil, Wood Floor Oil, Blanchon Solid'oil™ or other traditional oil: dilute 200 ml of the preparation (4 cups) in 5 litres of warm water.
- Apply the solution on the surface using a mop or microfibre cloth properly wrung out from water excess. The possibility of using a buffing machine fitted with abrasive pads (red or green).
- Leave for several minutes.
- Collect the accumulated dirt with a vacuum cleaner or a floor squeegee, and then with a microfibre cloth.
- Wipe with clean, warm water using tools properly wrung out from water excess.

**Powerful Cleaner** does not foam, it can be applied by machine or by hand.

**IMPORTANT:** the parquet should never be poured with water; use only tools which are properly wrung out from water excess.

\*Before applying to the entire surface, perform a test on an unseen spot.

### Cleaning of tools

- Rinse thoroughly with water immediately after use.
- Protect the environment:
  - Wring the tools properly and wipe them dry immediately after use.
  - Wash them in a dish with a small amount of water. Leave the used water to evaporate.
  - The accumulated dry sediments can be disposed of with trash.
  - Tightly close the container after use.
  - Return the empty container for recycling.
  - Please contact the local authorities for information on the collection and disposal of wastes.
  - Do not pour liquid wastes into sewer systems.

## DRYING AND USE

- Dust-dry: about 10 minutes after rinsing.
- Place adequate covers (made of felt) under the legs of chair and table legs. If necessary, place a doormat at the entrance to the room, which will keep dust and gravel from spreading. Do not allow any water or other liquid spillages on the oiled surface (secure the flowerpots well). Do not move heavy furniture. Clean with a vacuum cleaner or broom (do not use damp cloths).

**Blanchon**

# Powerful Cleaner

## PERFORMANCE

- 1 L **Powerful Cleaner** = about 250 to 500 m<sup>2</sup>.

## STORAGE

- Protect against frost (use caution when storing in vehicles).

## CARING AND RENOVATION

- **Regular cleaning:** wet wiping with Natural Soap For Oiled Floor diluted in a proportion of 50 ml per 5 litres of water or with the Lagoon® preparation, with tools properly wrung out from water excess.
- **Intensive cleaning:** wet wiping with **Powerful Cleaner** diluted in a proportion of 100 ml per 5 litres of warm water in the case of surfaces covered with oil in the aqueous phase or 200 ml per 5 litres of warm water in the case of conventional oil. Wash the surface with clean water, with tools properly wrung out from water excess.
- **Regular care:** apply the Universal Maintenance Oil on a clean and dry floor covered with oil using a microfibre mop.
- **Local renovation:** applied in the case of particularly damaged areas (scratches reaching raw wood, impact marks, cracks...), grind the damaged areas vigorously (with fine sandpaper) and re-impregnate them with the original oil (apply a thin layer with a clean, soft cotton cloth). Do not use steel wool. In order to supplement the perfect appearance, follow the instructions described in point Regular care.
- **General renovation:** matt the entire surface with a rotary machine equipped with an abrasive mesh (gradation of 120-150), vacuum it, and then apply a thin layer of the original oil.

## TECHNICAL DATA

INTENDED USE	<b>Powerful cleaner</b> for oiled surfaces
TYPE OF SURFACTANTS	Anionic and non-ionic surfactants
DENSITY	1.00 (at temp. 20°C, according to the NF T 30020 standard)
ADDITIONAL INFORMATION	Refer to the appropriate Material Safety Data Sheet (MSDS) (available on the <a href="http://www.blanchon.com">www.blanchon.com</a> and <a href="http://www.quickfds.com">www.quickfds.com</a> websites)
pH OF CONCENTRATE	12
pH OF DILUTED CONCENTRATE	(1 to 10): 10
ODOUR	Weak odour
STORAGE	Protect against frost (use caution when storing in vehicles)

### RECOMMENDATIONS FOR USE

- Wear protective gloves and goggles.
- In case of contact with eyes, rinse them thoroughly with water and contact a physician.
- Avoid contact of **Powerful Cleaner** with bleaches.
- Keep the product away from children.
- Do not pour liquid wastes into sewer systems.

The Technical Data Sheet has been approved by the Technical Department and published on 05.2015.  
The product has been developed and manufactured in France.

All the tips and recommendations contained in this data sheet are given in good faith for informational purposes.  
The company cannot be held responsible for any losses incurred as a result of improper or incorrect use of its materials.  
This Technical Data Sheet replaces the previous versions and contains updated information on the product.

28 rue Charles Martin - BP 105  
69192 SAINT-FONS CEDEX - FRANCE Tél. 04 72 89 06 00 - Fax 04  
78 70 07 18  
Export Lines: Tel: (0033) 472 89 06 09  
Fax: (0033) 472 89 06 02



BLANCHON S.A. - Est. 1832 - A stock company with a board of directors and a supervisory board,  
with a registered capital of 4 258 258  
390 112 886 RCS LYON - APE 2030 Z - E-mail: [info.uk@blanchon.com](mailto:info.uk@blanchon.com)  
Internet : [www.blanchon.com](http://www.blanchon.com)