



# WOOD FINISHES DIRECT

The following Safety Datasheet is provided by **Morrells**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:  
[Morrells Probond PVA Adhesive](#)

## 1 IDENTIFICATION OF THE PREPARATION AND THE COMPANY

**PRODUCT NAME:** F301

**INTENDED USE:** Liquid Moisture Cure Adhesive

**SUPPLIER:** Morrells Woodfinishes Ltd  
Unit 4B Blenheim Park  
Blenheim Industrial Estate  
Nottingham  
NG6 8YP

**EMERGENCY CONTACT NO.:** 0044 161 406 5300 (Office hours)

**CONTACT PERSON:** HSE Manager

**EMAIL:** hse.manager@morrells.co.uk

## 2 HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Classification

Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373
Environmental hazards	Not Classified

Classification (67/548/EEC or 1999/45/EC) Xn;R20,R48/20. Carc. Cat. 3;R40. R42/43. Xi;R36/37/38.

Human health May cause sensitisation by inhalation.

Physicochemical Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers.

### 2.2. Label elements

**Pictogram**



**Signal word**

Danger

**Hazard statements**

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H335 May cause respiratory irritation.  
 H351 Suspected of causing cancer.  
 H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P260 Do not breathe vapour/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with national regulations.

**Supplemental label information**

EUH204 Contains isocyanates. May produce an allergic reaction.

**Contains**

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

**Supplementary precautionary statements**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P261 Avoid breathing vapour/spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P284 [In case of inadequate ventilation] wear respiratory protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P314 Get medical advice/attention if you feel unwell.  
 P321 Specific treatment (see medical advice on this label).  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE		30-60%
CAS number: 101-68-8	EC number: 202-966-0	REACH registration number: 01-2119457014-47
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H332	Carc. Cat. 3;R40 Xn;R20,R48/20 Xi;R36/37/38 R42/43	
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Resp. Sens. 1 - H334		
Skin Sens. 1 - H317		
Carc. 2 - H351		
STOT SE 3 - H335		
STOT RE 2 - H373		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### 4 FIRST AID MEASURES

#### 4.1. Description of first aid measures

<b>General information</b>	Remove affected person from source of contamination.
<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Irritation of nose, throat and airway. Coughing, chest tightness, feeling of chest pressure.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye contact</b>	Severe irritation, burning and tearing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations. If in doubt, get medical attention promptly.
<b>Specific treatments</b>	Treat symptomatically.

## 5 FIRE FIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. Irritating gases or vapours. Not known.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

### 5.3. Advice for firefighters

Protective actions during firefighting	Containers close to fire should be removed or cooled with water. Do not allow water to contact any leaked material.
Special protective equipment for firefighters	Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
----------------------	---

### 6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
---------------------------	--

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses.
-------------------------	--

### 6.4. Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

## 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Usage precautions	Avoid inhalation of vapours and spray/mists. Avoid contact with skin and eyes. Do not use in confined spaces without adequate ventilation and/or respirator. Spraying is permitted only in closed systems, spray cabinets or spray boxes with adequate ventilation.
Advice on general occupational hygiene	Wash promptly with soap and water if skin becomes contaminated. Preventive industrial medical examinations should be carried out.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in closed original container at temperatures between 5°C and 25°C.
Storage class	Chemical storage.

### 7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
---------------------	---

## 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

### 8.1. Control parameters

#### Occupational exposure limits

#### DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

Long-term exposure limit (8-hour TWA): WEL 0.02 mg/m<sup>3</sup>(Sen)

Short-term exposure limit (15-minute): WEL 0.07 mg/m<sup>3</sup>(Sen)

WEL = Workplace Exposure Limit

Ingredient comments                      WEL = Workplace Exposure Limits

#### DIPHENYLMETHANE-4,4'-DI-ISOCYANATE (CAS: 101-68-8)

<b>DNEL</b>	<p>Workers - Inhalation; Short term systemic effects: 0.1 mg/m<sup>3</sup></p> <p>Workers - Dermal; Short term local effects: 28.7 mg/cm<sup>2</sup></p> <p>Workers - Inhalation; Short term local effects: 0.1 mg/m<sup>3</sup></p> <p>Workers - Inhalation; Long term systemic effects: 0.05 mg/m<sup>3</sup></p> <p>Workers - Inhalation; Long term local effects: 0.05 mg/m<sup>3</sup></p> <p>Consumer - Dermal; Short term systemic effects: 25 mg/kg bw/day</p> <p>Workers - Dermal; Short term systemic effects: 50 mg/kg bw/day</p> <p>Consumer - Oral; Short term systemic effects: 20 mg/kg bw/day</p> <p>Consumer - Dermal; Short term local effects: 17.2 mg/cm<sup>2</sup></p> <p>Consumer - Inhalation; Short term local effects: 0.05 mg/m<sup>3</sup></p> <p>Consumer - Inhalation; Long term systemic effects: 0.025 mg/m<sup>3</sup></p> <p>Consumer - Inhalation; Long term local effects: 0.025 mg/m<sup>3</sup></p> <p>Consumer - Inhalation; Short term systemic effects: 0.05 mg/m<sup>3</sup></p>
<b>PNEC</b>	<p>- Marine water; 0.1 mg/l</p> <p>- STP; 1 mg/l</p> <p>- Fresh water; 1 mg/l</p> <p>- Soil; 1 mg/kg</p>

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls**

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection**

Wear chemical splash goggles.

**Hand protection**

It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material: Neoprene.

**Other skin and body protection**

Wear suitable protective clothing as protection against splashing or contamination. Wear apron or protective clothing in case of contact.

**Hygiene measures**

Use engineering controls to reduce air contamination to permissible exposure level. Wash hands after handling. When using do not eat, drink or smoke.

**Respiratory protection**

If ventilation is inadequate, suitable respiratory protection must be worn. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

**Environmental exposure controls**

Keep container tightly sealed when not in use.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance	Coloured liquid.
Colour	Various colours.
Odour	Musty (mouldy).
Odour threshold	Not available.
pH	Estimated value. pH (concentrated solution): 7-8
Melting point	<10°C
Initial boiling point and range	330°C @ mbar
Flash point	>200°C CC (Closed cup).
Evaporation rate	slow
Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Estimated value. : 0.6% - 11.5%
Other flammability	Not available.
Vapour pressure	0.01 Pa @ °C
Vapour density	8.5
Relative density	1.12 @ 20°C
Bulk density	Not available.
Solubility(ies)	Insoluble in water. Hardens in contact with water.
Partition coefficient	Not available.
Auto-ignition temperature	>600°C
Decomposition Temperature	Not available.
Viscosity	>2000 cP @ 25°C
Explosive properties	Not available.
Explosive under the influence of a flame	Not considered to be explosive.

Oxidising properties	Not available.
Comments	Information given is applicable to the product as supplied.

**9.2. Other information**

Other information	No information required.
Refractive index	Not available.
Particle size	Not available.
Molecular weight	Not available.
Volatility	Not available.
Saturation concentration	Not available.
Critical temperature	Not available.
Volatile organic compound	No information available.

## 10 STABILITY AND REACTIVITY

**10.1. Reactivity**

Reactivity	The product will harden into a solid mass in contact with water and moisture.
------------	---

**10.2. Chemical stability**

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions	Not applicable. May polymerise.
------------------------------------	---------------------------------

**10.4. Conditions to avoid**

Conditions to avoid	Avoid contact with water.
---------------------	---------------------------

**10.5. Incompatible materials**

Materials to avoid	Strong oxidising agents.
--------------------	--------------------------

**10.6. Hazardous decomposition products**

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.
----------------------------------	--



## 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Toxicological effects	No information available.
Other health effects	There is no evidence that the product can cause cancer.
<u>Acute toxicity - inhalation</u>	
ATE inhalation (dusts/mists mg/l)	1.11
<u>Skin corrosion/irritation</u>	
Animal data	Irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Moderately irritating.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Sensitising.
<u>Skin sensitisation</u>	
Skin sensitisation	Not determined.
<u>Carcinogenicity</u>	
Carcinogenicity	Suspected carcinogen based on limited evidence.
Target organ for carcinogenicity	No specific target organs known.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Not available.
Reproductive toxicity - development	This substance has no evidence of toxicity to reproduction.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction.
<u>Aspiration hazard</u>	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
General information	No specific health hazards known.
Inhalation	Irritating to respiratory system. May cause sensitisation by inhalation.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Irritating to skin. May cause sensitisation by skin contact.
Eye contact	Irritation of eyes and mucous membranes.
Acute and chronic health hazards	May cause sensitisation by skin contact. The product contains small quantities of isocyanate. May cause respiratory allergy. May cause respiratory system irritation. May cause respiratory system irritation. Frequent inhalation of vapours may cause respiratory allergy.
Route of entry	Inhalation Skin and/or eye contact
Medical symptoms	Irritation of eyes and mucous membranes. Coughing, chest tightness, feeling of chest pressure.
Medical considerations	Chronic respiratory and obstructive airway diseases.

Toxicological information on ingredients.

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 10,000.0

Species Rat

ATE oral (mg/kg) 10,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 9,400.0

Species Rabbit

ATE dermal (mg/kg) 9,400.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l) 0.49

Species Rat

ATE inhalation (dusts/mists mg/l) 0.49

**12 ECOLOGICAL INFORMATION**

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours, 96 hours: > 1000 mg/l, Freshwater fish

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 48 hours: >500 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC<sub>50</sub>, 72 hours, 72 hours: ~ 1640 mg/l, Scenedesmus subspicatus

Ecological information on ingredients.

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

Acute toxicity - fish	LC <sub>50</sub> , 96 hours: >1000 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC <sub>50</sub> , 24 hours: >1000 mg/l, Daphnia magna
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: >10 mg/l, Daphnia magna

12.2. Persistence and degradability

**Persistence and degradability** The product is not readily biodegradable.

**Stability (hydrolysis)** Reacts with water.

**Biological oxygen demand** < 10 g O<sub>2</sub>/g substance

12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

**Partition coefficient** Not available.

Ecological information on ingredients.

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

**Partition coefficient** log Pow: 4.51

12.4. Mobility in soil

**Mobility** The product is non-volatile.

12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

**Other adverse effects** None known.

## 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## 14 TRANSPORT INFORMATION

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

UN No. (IMDG)

UN No. (ICAO)

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

IMDG class

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

### 14.4. Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

EmS

Emergency Action Code

Hazard Identification Number  
(ADR/RID)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## 16 OTHER INFORMATION

Risk phrases in full	R20 Harmful by inhalation. R36/37/38 Irritating to eyes, respiratory system and skin. R40 Limited evidence of a carcinogenic effect. R42/43 May cause sensitisation by inhalation and skin contact. R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.
Store Between	Store Between 5°C - 25°C
Contains SVHC	NO

### Legal disclaimer:

The information contained in this Data Sheet does not constitute the user's own assessment of work place risks as required by other health and safety legislation. As the specific conditions of use of the product are outside the suppliers control the user is responsible for ensuring that the requirements of the relevant legislation are complied with. This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with legal regulations. The information contained herein is based on the current state of our knowledge and is intended to describe products from the point of view of safety requirements and thus should not be construed as guaranteeing specific properties.