

The following Safety Datasheet is provided by **Osmo**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:

Osmo Polymer Composite Maintenance Oil



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Polymer Composite Maintenance Oil

Article number: 030 Clear satin

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Coating compound/ Surface coating/ paint

Maintenance product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

Precautionary statements Although this product is not subject to identification regulations, we

recommend that the safety suggestions are observed.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. EUH210 Safety data sheet available on request.

Additional information: EUH210 Safety data sheet available on request.

2.3 Other hazards Observe the general safety regulations when handling chemicals.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 1)

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

EC number: 918-481-9 aliphatic hydrocarbons, C10-C13

Asp. Tox. 1, H304

25-50%

Reg.nr.: 01-2119457273-39

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

If swallowed, seek medical advice immediately and show this container or After swallowing:

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed

Headache Dizziness

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

mixture

Protective equipment: No special measures required.

(Contd. on page 3)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 2)

Additional information Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental

precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Dilute with plenty of water.

6.3 Methods and material for

containment and cleaning up: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Information about fire - and

explosion protection: Keep respiratory protective device available.

(Contd. on page 4)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: VCI storage class (VCI = German Association of the Chemical Industry): 10

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Not necessary if room is well-ventilated.

Hand protectionTo avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

(Contd. on page 5)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

For the mixture the penetration time has to be at least 480 minutes

(Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

materials are suitable:Nitrile rubber, NBREye/face protectionTightly sealed gogglesBody protection:Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:YellowishOdour:Mild

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Lower and upper explosion limit

 Lower:
 0.6 Vol %

 Upper:
 7 Vol %

Flash point:> 60 °C (DIN EN ISO 2719)Auto-ignition temperature:Product is not selfigniting.

pH Not applicable

Viscosity:

Kinematic viscosity at 20 °C 30–50 s (DIN EN ISO 2431/4mm)

>21 mm²/s (40°C) (calculated)

Dynamic: Not determined.

(Contd. on page 6)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 5)

Solubility

water: Not miscible or difficult to mix.

Density and/or relative density

Density at 20 °C: 0.85–0.9 g/cm³ (DIN 51757)

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

Solvent content:

VOC (EC) Not applicable.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

(Contd. on page 7)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 6)

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous

reactions Reacts with fabric soaked in the product (e.g. cleaning wool).

Self igniting.

10.4 Conditions to avoid No further relevant information available.10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 7)

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

	LD/LC50	values	relevant for	classification
--	---------	--------	--------------	----------------

aliphatic hydrocarbons, C10-C13

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aau	atic	to	vic	itv:	
\neg u	auc	w	$\lambda i c$	ILV.	

aliphatic hydrocarbons, C10-C13

EC50 / 48h | >1,000 mg/l (daphnia) IC50 / 72h | >1,000 mg/l (algae)

(Contd. on page 9)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 8)

LC50 / 96h |>1,000 mg/l (fish)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potentialNo further relevant information available.12.4 Mobility in soilNo further relevant information available.

12.5 Results of PBT and vPvB assessment
PBT:
Not applicable.
vPvB:
Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

15 01 04 | metallic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Not applicable

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Not applicable

(Contd. on page 10)



Printing date 11.12.2020 Version number 3.0 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 9)

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Not applicable

14.4 Packing group

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

VOC (EC) Not applicable.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Reach Annex II (2021)

Relevant phrases H304 May be fatal if swallowed and enters airways.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Version number of previous

version: 2.0

(Contd. on page 11)



Version number 3.0 Printing date 11.12.2020 Revision: 11.12.2020

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 10)

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard - Category 1