

The following Safety Datasheet is provided by Woca

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:
Woca Clean and Care Kit Oiled Wood Floors



# Safety Data Sheet - Maintenance Oil Natural and White

#### 1. Identification:

Product use: Flooring oil

Measures by accident/poisoning: Bring the packaging or the product information data sheet when seeking medical attention. In Denmark: for information about the proper treatment, the doctor may call the poison information at Bispebjerg Hospital, phone +45 35 31 60 60

#### 2. Composition/Information on Ingredients:

Weight %: Classification: Derivates of hydrogentreated oil 25-50 Xn:R65 R66 CAS No: 64742-47-8F Einics No :265-149-8

Alkaned, C9-12-iso-1-10 R10 Xn; R65 R66 R53

CAS No: 90622-57-4 Einecs No: 292-459-0

Please see section 16 for the full text of the R-phrases

# 3. Hazards Identification:

The product need not be classified according to the national classification and labelling rules.

#### Additional information

Prologed or repeated inhalation of vapours may cause damage to the central nervous system.

#### ..... 4. First Aid Measures:

Inhalation: Seek fresh air. Seek medical advice if symptoms persist. Contact with eyes: Flush immediately with water (preferably using eye wash equipment) for at least 5minutes. Open eye wide. Remove any contact lenses. Seek medical advice if symptoms persist.

Contact with skin: Remove contaminated clothing . Wash skin with soap and water. Seek medical advice if symptoms persist.

Ingestion: Wash out mouth thoroughly and drink plenty of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach contents do not enter lungs. Call for medical attention/ambulance. Burns: Flush with water until pain ceases. Remove clothing that is not struck to the skin – seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.

**5. Fire-fighting Measures:**Extinguish with powder, foam, carbon dioxide or water mist. Do not use water stream, as it may spread the fire. Use water or water mist to cool non-ignited stock. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

## 6. Accidental Release Measures:

Use the same personal protective equipment as stated in section 8. Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains. Smoking and naked flames prohibited.

#### 7. Handling and Storage:

Handling: See section 8 for information about precautions for use and personal protective equipment. Smoking and naked flames prohibited. Storage: There are no special storage requirements but the product should be stored safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc.

### 8. Exposure Control/Personal Protection:

Precautions for use: Use the product under well-ventilated conditions. Respiratory Protection: Not required.

Gloves and protective clothing: Wear protective gloves made of nitrile rubber, natural rubber, neoprene rubber or butyl rubber.

Eye-Protection: Wear safety goggles if there is a risk of eye splash.

Occupational Exposure Limits:

Ingredients: Derivates of hydrogentreated oils (light)

Exposure limit: 25 ppm 180 mg/m3

#### Control methods

Compliance with occupational exposure limits may be checked by occupational hygiene measurements

#### 9. Physical and Chemical Properties:

Appearance: yellow liquid Odour: aromatic solvent

Relative density (g/ml): Solubility in water (g/100ml) 0,89

#### 10. Stability and Reactivity:

The product is stable when used in accordance with the supplier's directions.

#### 11 Toxicological Information:

#### Acute

Inhalation: Inhalation of vapours may cause irritation to the upper airways.

Ingestion: May cause chemical pneumonia if ingested or vomited. Skin contact: Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.

Eye contact: Temporary irritation.

#### Long-term effects

#### May cause damage to the central nervous system.

Prolonged or repeated inhalation of vapours may cause damage to the central nervous system.

## 12. Ecological Information:

Avoid discharge to drain or surface water.

Mobility: Organic solvent which evaporates readily from all surfaces.

Persistence and degradability: Biodegradable

#### Bioaccumulative potential:

No bioaccumulation data provided.

#### 13. Disposal Considerations:

Not considered as special waste according to Commission decision as regards the list of wastes 2001/118/EC. Contact the local authorities. Absorbing solution polluted with the product:

EWC code: 15 02 03 Absorbents, filler materials, wiping cloths and protection clothing other than those mentioned in 15 02 02.

# 14. Transport Information:

The product is not covered by the rules for transport of dangerous goods or road and sea according to ADR and IMDG

# 15. Regulatory information:

Hazard deigination: It has been assessed that the product need not to be classified according to the national classification and labelling rules.

Contains: Derivates of oil (hydrogentreated light)

Other Labelling: None

# 16. Other Information:

Restrictions on use: None

#### Training requirement:

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

#### Sources used

Approved classification and labelling guide (fifth edition) 2002 Approved Supply List (Seventh edition): Information approved for the classification and labelling substances and preparations dangerous for supply. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

Transport regulations for ADR 2003 edition and IMDG 2003 edition. Commission decision as regards the list of wastes 2001/118/EC The compilation of safety data sheets (third edition) 2002.

WoodCare Denmark Havnevej 17 DK-9560 Hadsund

Tel. +45 99 58 56 00 Fax +45 99 58 56 34 www.woodcaredenmark.com



Wood care Safety data Page 2 of 2 January 2007

#### Other information

This safety data sheet war prepared from information provided by supplier about the product at the time preparation (e.g. data sheets and the like)

Full text of the R-phrases in section 2
R65 Harmful: May cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.
R10 Flammable.

R53 May cause long-term adverse effects in the environment.

Date of revision: January 2007



# Safety Data Sheet - WoCa Wood Cleaner

#### 0. General:

: means no data or not relevant

#### 1. Identification:

Product name: WoCa Wood Cleaner Product Category: Application: Basic cleaning.

Measures by accident/poisoning: Bring the packaging or the product information data sheet when seeking medical attention. In Denmark: for information bout the proper treatment, the doctor may call the poison information at Bispebjerg Hospital, phone +45 35 31 60 60

# 2. Composition/Information on Ingredients:

Hazardous compounds in accordance with EC Directives 1999/45/EEC; 2001/59/EEC (symbol and R-phrases are stated for the pure compound). Any volatile compounds are stated in item 8 in units of ppm.

Contains:	Weight %:	Classification:
Alkylpolyglucosid CAS No.: 94038-1	< 5	Xi, R41
C13-oxoalcohol 8 EO CAS No.: 69011-36-5	< 5	Xn, R22, R41
Alcohol ethoxylate CAS No.: 94038-2	< 1	Xi, N, R38, R50

#### 3. Hazards Identification:

Main Toxicological and Ecological hazards: Eye irritant. Symptoms: -

# 4. First Aid Measures:

General information: Bring this Safety Data Sheet with you to physician/emergency room. If in doubt, Also see para. 1 Inhalation: Fresh air.

Contact with eyes: Open your eye wide. Immediately rinse with water

for at least 15 minutes. Seek medical attention.

Contact with skin: Rinse with water.

Ingestion: Rinse mouth and then drink plenty of water.

#### 5. Fire-fighting Measures:

Suitable extinguishing media: Not flammable. Use extinguishing media appropriate for surrounding fire.

Extinguishing media that must not be used: -

Special hazards:

Special protective equipment: See item 8.

General information: If possible remove the product - otherwise keep it

# 6. Accidental Release Measures:

Personal precautions: Wear personal protection - see item 8. Environmental precautions: See item 13.

Methods for cleaning up: Absorb large spills using absorbing material and deliver to an approved receiving station for hazardous waste. Small quantities of spilled material may be flushed to drains with plenty of

#### 7. Handling and Storage:

Handling: Avoid contact with eyes. Do not mix with acidic products. Working routines should be implemented to reduce spill or any other form of spreading.

Storage: Store in closed original receptacle.

Specific Environmental Protection Precautions: To prevent leakage, containers in use must be carefully closed and stored in upright position. Durability: 36 months

# 8. Exposure Control/Personal Protection:

Engineering Control Measures: Eye rinsing bottle and plenty of water must be available.

Respiratory Protection: -

Hand Protection: If possible use protective gloves made of rubber. Eye-Protection: Wear protective goggles if there is risk of splashing. Skin-Protection:

General information: Workplace and methods must be arranged to prevent all direct contact with the product.

# 9. Physical and Chemical Properties:

Form: Liquid Specific volume: 1,06 g/cm3 pH-value (conc.): 11,5

#### 10. Stability and Reactivity:

Stability: The product is stable in normal use.

# 11 Toxicological Information:

Contact with skin: Skin irritant.

Contact with eyes: Splash in eye will cause conjunctival irritation Often

the irritation is only noticed after some time.

Chronic effects: None known. General information:

C13-oxoalcohol 8 EO: LD50 Oral Rat = >200-<2000 mg/kg Alcohol ethoxylate: LD50 Oral Rat = >2000 mg/kg

#### C13-oxoalcohol 8 EO:

Skin (Rabbit) = Non-irritant OECD 404

Eyes (Rabbit) = Irritant, risk of serious damage to eyes OECD 405

#### Alcohol ethoxylate:

Skin (Rabbit) = Irritate OECD 404 Eyes (Rabbit) = Irritate OECD 405

#### 12. Ecological Information:

Ecotoxicity: Contains a substance, which is very toxic to aquatic organisms. Contains a substance, which is toxic to aquatic organisms, however, it is easily degradable and, therefore, needs not be classified as harmful to the environment. The remaining substances contained in this product are only faintly toxic to aquatic organisms and, therefore, need not be classified as dangerous to the environment (LC, EC and IC >100 mg/l).

Mobility:

Degradability: The organic substances in this product are easily biodegradable according to OECD test method 301 A-F.

Accumulation: General information:

Alkylpolyglucosid Toxicity(fish):

Toxicity(Water fleas):

Toxicity(algae):

OECD 301 D, >70% (28 days), Ready Degradability:

LC50 (96 h) >100 - 500 mg/l

biodegradability

Accumulation: Mobility: Misc.:

#### C13-oxoalcohol 8 EO

Toxicity(fish):
Toxicity(Water fleas): LC50 (96 h) 1-10 mg/l EC50 (48 h) 1-10 mg/l Toxicity(algae): Degradability:

IC50 (72 h) 10-100 mg/l OECD 301 A, >70% (28 days), Ready

biodegradability COD, 2100 mg/g

Mobility:

Accumulation:

# Alcohol ethoxylate

LC50 (96 h) <1 mg/l Toxicity(fish):

WoodCare Denmark A/S Havnevej 17 DK-9560 Hadsund Tel. +45 99 58 56 00 Fax +45 99 58 56 34 woodcaredenmark.com



Wood care Safety data Page 2 December 2005

Toxicity(Water fleas): Toxicity(algae): Degradability: Accumulation: Mobility:

Misc.: Easily biodegradable.

13. Disposal Considerations:

**General information:** EAK code applies to product remnants in pure form

**Disposal considerations:** This product is considered to be hazardous waste. Dispose of spill and unused material in accordance with local regulations e.g. disposal to an approved receiving centre for chemical waste.

Waste code: 20 01 30

detergents other than those mentioned in 20 01 29

14. Transport Information:

The product is not comprised by transport regulations of dangerous goods.

15. Regulatory information

**General information:** In accordance with the EC Directives 1999/45/EEC; 2001/59/EEC Statutory Order on classification, packaging, labelling, sale and storage of chemical substances and products. The product is marked as follows:

Labelling:

S(2) Keep out of the reach of children.

Uses and Restrictions: Not to be handled by individuals

under the age of 18 years, according to Danish Ministry of Employment's ministerial order No. 516 of 14th June 1996, concerning young people in

**Special Education:** None specific - should only be used by persons who are instructed about the hazardous properties of the product.

16. Other Information:

R22 Harmful if swallowed.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

*Final remarks:* The information in this Safety Data Sheet is based upon the information available at the time of its preparation. The Safety Data Sheet is issued according to present EEC legislation. The product has not been tested, however, the information about the product is based on knowledge of the dangerous properties of the contained substances together with knowledge about similar products.

Alterations have been carried out as a general update of the data sheet.

References: -

Date of revision: April 2005





# Safety data sheet

Distributor:

# **Natural Soap**

1. Identification of the substance/preparation and of the company/undertaking

Prepared on: 06-10-2010/ LFH

Replaces: 26-11-2008 WoodCare Denmark A/S

Tværvej 6
Product use: Floor soap 6640 Lunderskov

Tel:99585600 Fax:99585634

Emergency telephone number: 99585600

The emergency telephone is open between 8 a.m. and 4

p.m. on workdays.

**Contact person:Environmental Department** 

Email: info@ttwoodcare

#### 2. Hazards identification

#### DSD/DPD-classification

The product shall not be classified as hazardous according to the national classification and labelling rules.

3. Composition/information on ingredients

Einecs no. CAS No. Substances DSD-Classification w/w%

Contains no substances subject to reporting

requirements.

Please see section 16 for the full text of the R-phrases

# Other information

Declaration in compliance with EC regulation no. 648/2004 15-30% soap

# 4. First aid measures

#### Inhalation

Seek fresh air.

#### Ingestion

Rinse mouth thoroughly and then drink plenty of water. Do not induce vomiting. Seek medical advice if symptoms persist.

#### Skin

Wash skin with soap and water.

#### Eves

Rinse immediately with water (preferably using eye wash) for at least 5 minutes. Open eyes wide. Remove any contact lenses. Seek medical advice if irritation persists.

#### Other information

When obtaining medical advice, show the safety data sheet or label. Symptoms: See section 11.

# 5. Fire-fighting measures

The product is not directly flammable. Avoid inhalation of vapour and flue gases - seek fresh air.

WoodCare Denmark A/S Tværvej 6, 6640 Lunderskov Tlf.: 99585600 Fax: 99585634, www.woodcaredenmark.com

Prepared on: 06-10-2010/LFH
Replaces: 26-11-2008

Natural Soap

# 6. Accidental release measures

Prevent spillage from entering drains and/or surface water.

# 7. Handling and storage

#### Handling

See section 8 for information about precautions for use and personal protective equipment.

#### Storage

Store safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc. Do not expose to heat (e.g. sunlight). Store frost-free. Keep in tightly closed original packaging.

# 8. Exposure controls/ personal protection

#### Precautions for use

No special requirements.

#### Respiratory protection

Not required.

#### Gloves and protective clothing

Wear protective gloves made of nitrile rubber,

#### Eye protection

Wear safety goggles if there is a risk of eye splash.

#### Occupational exposure limits

Contains no substances subject to reporting requirements.

# 9. Physical and chemical properties

State: Liquid

pH (concentrate): ca. 9,7 Density: - g/ml 1,01- 1,03

#### 10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions.

### 11. Toxicological information

# Acute

#### Inhalation

Inhalation of vapours may cause irritation to the upper airways.

#### Ingestion

Irritates mucous membranes in mouth and gastrointestinal tract.

#### Skin contact

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.

#### Eye contact

May cause eye irritation.

#### Long-term effects

None known.

 $WoodCare\ Denmark\ A/S\ Tværvej\ 6,\ 6640\ Lunderskov\ Tlf.:\ 99585600\ Fax:\ 99585634,\ www.woodcaredenmark.com$ 

Prepared on: 06-10-2010/LFH
Replaces: 26-11-2008

Natural Soap

# 12. Ecological information

Do not discharge large quantities of concentrated spills and residue into drains.

# 13. Disposal considerations

Contact the local authorities.

#### 14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

# 15. Regulatory information

Hazard designation: It has been assessed that the product shall not be classified as hazardous according to the national classification and labelling rules.

# Other labelling

None.

#### Chemical safety assessment

Chemical safety assessment has not been performed.

# 16. Other information

# Restrictions on use

None.

#### **Training requirement**

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

# Sources used

# Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

#### Full text of the R-phrases that are stated in section 3.

No R-phrases.

# Amendments have been made in the following sections

3,7,9

WoodCare Denmark A/S Tværvej 6, 6640 Lunderskov Tlf.: 99585600 Fax: 99585634, www.woodcaredenmark.com (Made in Toxido®) UK