



WOOD FINISHES DIRECT

The following Product Datasheet is provided by **Osmo**

Wood Finishes Direct cannot be held liable for the information contained within this document.

For purchasing information visit:
[Osmo Tannin Spot Remover](#)



TANNIN SPOT REMOVER

Highly effective removal of black spots on wood species containing tannic acid (Oak).



6602 Clear



1 APPLICATION

Product description:

Specialised cleaner for removing black tannin stains and spots on untreated or oiled wood surfaces in indoor areas.

Recommended use:

Osmo Tannin Spot Remover is especially recommended for wooden flooring (e.g. parquet), work surfaces or garden decking and furniture made of Oak.

Ingredients:

Osmo Tannin Spot Remover contains biodegradable oxalic acid.

Technical Data:

Specific gravity: 1,005-1,035 g/cm³

Viscosity: 120-160 mPas

Odour: faint/mild, odourless after drying

Flashpoint: not required

pH value: 1-2

Storage:

2 years and longer if stored in the closed original can. Do not expose to frost or temperatures above 30 °C!

Surface Preparation:

Remove debris and dirt from the surface. Tannin Spot Remover is ready to use. Do not thin. Before applying, test Osmo Tannin Spot Remover on substrate. (Trial application required!)

Methods of Application:

Spray Osmo Tannin Spot Remover evenly onto the spot until the surface is completely covered. Allow product to react for 30-45 minutes and wipe with a lint-free cloth. If necessary, repeat and then wipe clean

with clear water. After drying, apply a suitable Maintenance Oil on the treated area, so that the wood is protected again.

Cleaning of tools:

With soap and water.

Drying time:

Before applying a new coating, allow the wood to dry thoroughly (approx. 24-48 hours). Lower temperatures and/or higher air humidity may increase drying times.

Coverage:

1 l covers approx. 10 m² (depending on intensity of the stains) with one application. Product coverage depends significantly on the condition of the wood. All information refers to smooth and planed/cut surfaces. Other surfaces may lead to reduced coverage.

Note:

Protect metal (e.g. furniture hardware) and plants against direct contact (e.g. cover farm and ornamental plants with a tarpaulin or place out of reach).

Caution:

Keep out of reach of children. Contains mixture of: 5-chloro-2-methyl-2 H-isothiazol-3-one (CMIT) and 2-methyl-2 H-isothiazol-3-one (MIT) (3:1). May cause an allergic reaction. Do not get in eyes, on skin, or on clothing. If medical advice is needed, have product container or label at hand. Safety data sheet available on request.



Disposal:

Dispose of leftover product and completely emptied packaging according to local official guidelines (waste code number 07 06 99). Only completely emptied cans can be recycled.

Size:

0.25 l

The above mentioned information is provided to the best of our knowledge however without any liability.

Colour tone:

6602 Clear

Version 09/22